S 45

Replacement Torches Suitable For Trafimet®


低频等离子切割枪
Low Frequency Plasma Torch

技术参数 Technical Data

电流 Current	40A	引弧方式 Ignition	LF 低频
暂载 Duty Cycle	60%	气体延时 Post Flow	35 sec.recommended
冷却气 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.5-5.0 Bar		
气流量 Gas Flow	115LPM		

部　件 Parts

No.	Ref.	Description
1		两点支架 Double pointed spacer
2	CV0010	弹簧支架 Spring spacer
3.1	PC0116	外喷嘴 /6 孔 Outside nozzle /6 holes
3.2		外喷嘴 /4 孔 Outside nozzle/ 4 holes
4.1	PD0116-06	喷嘴 0.6mm/20A Tip 0.6mm/20A
4.2	PD0116-08	喷嘴 0.8mm/30A Tip 0.8mm/30A
4.3	PD0116-09	喷嘴 0.9mm/40A Tip 0.9mm/40A
5.1	PD0102-08	喷嘴 0.8mm/30A Tip 0.8mm/30A
5.2	PD0102-10	喷嘴 1.0mm/50A Tip 1.0mm/50A
6.1	PD0103-65	喷嘴 0.6mm/20A Tip 0.6mm/20A
6.2	PD0103-09	喷嘴 0.9mm/40A Tip 0.9mm/40A
7	PE0106	分流器 Diffuser
8	PR0110	电极 /21.8mm Electrode 21.8mm
9	PR0105	电极 /17.8mm Electrode/17.8mm
10	PR0106	电极 /30.5mm Electrode/30.5mm
11	PF0127	枪头 Torch head
11a		O 型圈 O-ring
12		手柄 Handle
13		开关 Trigger
14		球节套件 Joint kit



15		电缆组 /EPDM 护套 /5M Cable assembely/ EPDM /5M
16		等离子枪扳手 Spanner for Plasma
17	FY0023	等离子中央插头 Central adaptor
18		螺母连接 G1-4/M14x1.5/M16x1.5 Nut adaptor

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

S 75

Replacement Torches Suitable For Trafimet®


低频等离子切割枪
Low Frequency Plasma Torch


技术参数 Technical Data


电流 Current	70A	引弧方式 Ignition	LF 低频
暂载 Duty Cycle	60%	气体延时 Post Flow	45 sec.recommended
冷却气 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.5-5.0 Bar		
气流量 Gas Flow	150LPM		


部　件 Parts

No.	Ref.	Description
1	CV0028	弹簧支架 Spring spacer
2	CV0076	外喷嘴 Outside nozzle
3	PC0114	保护罩 Shield
4.1	PD0114-10	喷嘴 1.0mm/50A Tip 1.0mm/50A
4.2	PD0114-12	喷嘴 1.2mm/70A Tip 1.2mm/70A
5	PD0118-10	长喷嘴 1.0mm/50A Long tip 1.0mm/50A
6	PE0112	分流器 Diffuser
7	PR0117	电极 Electrode
8	PR0119	长电极 Long Electrode
9	FH0647	冷却管 Air tube
10		枪头 Torch head
10.1		O 型圈 O-ring
11		手柄 Handle
12		开关保护挡片 Protection
13		开关 Trigger
14		球节套件 Joint kit
15		电缆组 / EPDM 护套 /5M Cable assembely/ EPDM/ 5M
16		等离子枪扳手 Spanner for Plasma
17		等离子中央插头 Central adaptor
18		螺母连接 G1-4/M14x1.5/M16x1.5 Nut adaptor









Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

S 105

Replacement Torches Suitable For Trafimet®


低频等离子切割枪
Low Frequency Plasma Torch


技术参数 Technical Data


电流 Current	100A	引弧方式 Ignition	LF 低频
暂载 Duty Cycle	60%	气体延时 Post Flow	55 sec.recommended
气体 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.5-5.0 Bar		
气流量 Gas Flow	180LPM		


部　件 Parts

No.	Ref.	Description
1	CV0011	弹簧支架 Spring spacer
2	PC0118	外喷嘴 Outside nozzle
3.1	PD0119-10	喷嘴 1.0mm/50A Tip 1.0mm/50A
3.2	PD0119-12	喷嘴 1.2mm/70A Tip 1.2mm/70A
3.2	PD0119-14	喷嘴 1.4mm/100A Tip 1.4mm/100A
4	PE0112	分流器 Diffuser
5	PR0117	电极 Electrode
6	FH0647	冷却管 Air tube
7		枪头 Torch head
7a		O 型圈 O-ring
8		手柄 Handle
9		开关保护挡片 Protection
10		开关 Trigger
11		球节套件 Joint kit
12		电缆组 /EPDM 护套 /5M Cable assembely /EPDM /5M
13		等离子枪扳手 Spanner for Plasma
14		等离子中央插头 Central adaptor
15		螺母连接 G1-4/M14x1.5/M16x1.5 Nut adaptor









Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

A 81

Replacement Torches Suitable For Trafimet®


高频等离子切割枪
High Frequency Plasma Torch

技术参数 Technical Data

电流 Current	80A	引弧方式 Ignition	HF 低频
暂载 Duty Cycle	60%	气体延时 Post Flow	80 sec.recommended
气体 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.5-5.0 Bar		
气流量 Gas Flow	155LPM		

部　件 Parts

No.	Ref.	Description
1	CV0028	弹簧支架 Spring spacer
2	PC0115	外喷嘴 Outside nozzle
3.1	PD0105-10	喷嘴 1.0mm/50A Tip 1.0mm/50A
3.2	PD0105-12	喷嘴 1.2mm/80A Tip 1.2mm/80A
4	PD0106-12	喷嘴 1.2mm/80A Tip 1.2mm/80A
5	PE0107	分流器 Diffuser
6	PR0109	电极 Electrode
7	PR0115	长电极 Long Electrode
8	FH0560	冷却管 Air tube
9	FH0561	长冷却管 Long air tube
10		手用枪头 Torch head / manual
10.1		O 型圈 O-ring
11		手用手柄 Handle / manual
12		开关保护挡片 Protection
13		开关 Trigger
14		球节套件 Joint kit
15		电缆组 /EPDM 护套 /5M Cable assembely /EPDM/5M
16		机用枪头 Torch head / Auto
17		机用枪头 Handle / Auto
18		等离子枪扳手 Spanner for Plasma



19		等离子中央插头 Central adaptor
20		螺母连接 G1-4/M14x1.5/M16x1.5 Nut adaptor

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

A 101

Replacement Torches Suitable For Trafimet®


高频等离子切割枪
High Frequency Plasma Torch

技术参数 Technical Data

电流 Current	100A	引弧方式 Ignition	HF 高频
暂载 Duty Cycle	60%	气体延时 Post Flow	100 sec.recommended
气体 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.5-5.0 Bar		
气流量 Gas Flow	180LPM		

部　件 Parts

No.	Ref.	Description
1	CV0011	弹簧支架 Spring spacer
2	CV0021	滚轮支架 Wheel spacer
3	PC0109	外喷嘴 Outside nozzle
4.1	PD0101-08	喷嘴 0.8mm/30A Tip 0.8mm/30A
4.2	PD0101-11	喷嘴 1.1mm/60A Tip 1.1mm/60A
4.3	PD0101-14	喷嘴 1.4mm/100A Tip 1.4mm/100A
5.1	PD0117-14	长喷嘴 1.4mm/100A Long tip 1.4mm/100A
5.2	PD0117-17	长喷嘴 1.7mm/130A Long tip 1.7mm/130A
6	PD0111-12	长喷嘴 1.2mm/80A/ 接触 Long tip 1.2mm/80A/drug
7	PE0101	分流器 Diffuser
8	PR0101	电极 Electrode
9	PR0116	长电极 Long electrode
10	FH0562	冷却管 Air tube
11		枪头 Torch head/manual
11.1		O 型圈 O-ring
12		手柄 Handle/manual
13		开关保护挡片 Protection
14		开关 Trigger
15		球节套件 Joint kit
16		电缆组 /EPDM 护套 /5M Cable assembely/EPDM/5M



17		机用枪头 Torch head/Auto
18		机用枪柄 Handle/Auto
19		等离子枪扳手 Spanner for Plasma
20		等离子中央插头 Central adaptor
21		螺母连接 G1-4/M14x1.5/M16x1.5 Nut adaptor

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

A 141

Replacement Torches Suitable For Trafimet®


高频等离子切割枪
High Frequency Plasma Torch

技术参数 Technical Data

电流 Current	140A	引弧方式 Ignition	HF 高频
暂载 Duty Cycle	60%	气体延时 Post Flow	140 sec.recommended
气体 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.5-5.0 Bar		
气流量 Gas Flow	220LPM		

部　件 Parts

No.	Ref.	Description
1	CV0011	弹簧支架 Spring spacer
2	CV0021	滚轮支架 Wheel spacer
3	PC0109	外喷嘴 Outside nozzle
4.1	PD0101-14	喷嘴 1.4mm/100A Tip 1.4mm/100A
4.2	PD0101-17	喷嘴 1.7mm/130A Tip 1.7mm/130A
4.2	PD0101-19	喷嘴 1.9mm/140A Tip 1.9mm/140A
5	PD0117-17	长喷嘴 1.7mm/130A Long tip 1.7mm/130A
6.1	PD0117-19	长喷嘴 1.9mm/140A Long tip 1.9mm/140A
6.2	PD0111-12	长喷嘴 1.2mm/80A/ 接触 Long tip 1.2mm/80A/drug
7	PE0101	分流器 Diffuser
8	PR0101	电极 Electrode
9	PR0116	长电极 Long Electrode
10	FH0562	冷却管 Air tube
11		枪头 Torch head/manual
11.1		O 型圈 O-ring
12		手柄 Handle/manual
13		开关保护挡片 Protection
14		开关 Trigger
15		球节套件 Joint kit
16		电缆组 EPDM / 护套 /5M Cable assembely/EPDM/5M



17		机用枪头 Torch head/Auto
18		机用枪柄 Handle/Auto
19		等离子枪扳手 Spanner for Plasma
20		等离子中央插头 Central adaptor
21		螺母连接 G1-4/M14x1.5/M16x1.5 Nut adaptor

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

A 151

Replacement Torches Suitable For Trafimet®


高频等离子切割枪
High Frequency Plasma Torch


技术参数 Technical Data


电流 Current	150A	引弧方式 Ignition	HF 高频
暂载 Duty Cycle	60%	气体延时 Post Flow	150 sec.recommended
气体 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.5-5.0 Bar		
气流量 Gas Flow	230LPM		

部　件 Parts

No.	Ref.	Description
1	CV0011	弹簧支架 Spring spacer
2	CV1107	支架座 Spacer holder
3	PC0120	外喷嘴 Outside nozzle
4.1	PD0109-11	喷嘴 1.1mm/60A Tip 1.1mm/100A
4.2	PD0109-14	喷嘴 1.4mm/100A Tip 1.4mm/100A
4.3	PD0109-16	喷嘴 1.6mm/130A Tip 1.6mm/130A
4.4	PD0109-18	长喷嘴 1.8mm/140A Long tip 1.8mm/140A
5.1	PD0117-14	长喷嘴 1.4mm/100A Long tip 1.4mm/100A
5.1	PD0117-17	长喷嘴 1.7mm/130A Long tip 1.7mm/130A
5.2	PD0117-19	长喷嘴 1.9mm/140A Long tip 1.9mm/140A
6	PD0111-12	长喷嘴 1.2mm/80A/ 接触 Long tip 1.2mm/80A/drug
7	PE0103	分流器 Diffuser
8	PR0111	电极 Electrode
9	PR0116	长电极 Long Electrode
10	FH0563	冷却管 Air tube
10.1		枪头 Torch head
11		O 型圈 O-ring
12		手柄 Handle
13		开关保护挡片 Protection
14		开关 Trigger







15		球节套件 Joint kit
16		电缆组 /EPDM 护套 /5M Cable assembely /EPDM/5M
17		等离子枪扳手 Spanner for Plasma
18		等离子中央插头 Central adaptor
19		螺母连接 G1-4/M14x1.5/M16x1.5 Nut adaptor

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

CB 50

Replacement Torches Suitable For Cerbora®


高频等离子切割枪
High Frequency Plasma Torch


技术参数 Technical Data


电流 Current	50A	引弧方式 Ignition	HF 高频
暂载 Duty Cycle	60%	气体延时 Post Flow	50 sec.recommended
气体 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.5-5.0 Bar		
气流量 Gas Flow	120LPM		


部　件 Parts

No.	Ref.	Description
1	1394	弹簧支架 Spring spacer
2	5710121	外喷嘴 Outside nozzle
3	1304	喷嘴 1.0mm/50A Tip 1.0mm/50A
4	20131	尖喷嘴 1.0mm/50A Tip tapered 1.0mm/50A
5	1370	长喷嘴 1.0mm/50A Long tip 1.0mm/50A
6	1306	长喷嘴 1.0mm/50A/ 尖型 Long tip 1.0mm/50A/tapered
7	1510	分流器 Diffuser
8	20103	电极 Electrode
9	1518	长电极 Long electrode
10		枪头 Torch head
10.1		O 型圈 O-ring
11		手柄 Handle
12		开关保护挡片 Protection
13		开关 Trigger
14		球节套件 Joint kit
15		电缆组 EPDM 护套 5M Cable assembely EPDM
16		等离子枪扳手 Spanner for Plasma
17		等离子中央插头 Central adaptor
18		螺母连接 G1-4/M14x1.5/M16x1.5 Nut adaptor









Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

CB 70

Replacement Torches Suitable For Cerbora®


高频等离子切割枪
High Frequency Plasma Torch


技术参数 Technical Data


电流 Current	70A	引弧方式 Ignition	HF 高频
暂载 Duty Cycle	60%	气体延时 Post Flow	70 sec.recommended
气体 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.5-5.0 Bar		
气流量 Gas Flow	130LPM		


部　件 Parts

No.	Ref.	Description
1	1394	弹簧支架 Spring spacer
2	5710171	外喷嘴 Outside nozzle
3.1	1309	喷嘴 0.9mm/35A Tip 0.9mm/35A
3.2	1396	喷嘴 1.0mm/30-50A Tip 1.0mm/30-50A
3.3	1308	喷嘴 1.2mm/45-70A Tip 1.2mm/45-70A
4.1	1366	长喷嘴 0.9mm/35A Long tip 0.9mm/35A
4.2	1395	长喷嘴 1.0mm/50A Long tip 1.0mm/50A
5	1510	分流器 Diffuser
6	1402	电极 Electrode
7	1368	长电极 Long Electrode
8	3065204	冷却管 Air tube
9		枪头 Torch head
9.1		O 型圈 O-ring
10		手柄 Handle
11		开关保护档片 Protection
12		开关 Trigger
13		球节套件 Joint kit
14		电缆组 /EPDM 护套 /5M Cable assembely/EPDM/5M
15		等离子枪扳手 Spanner for Plasma
16		等离子中央插头 Central adaptor
17		螺母连接 G1-4/M14x1.5/M16x1.5 Nut adaptor









Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

CB 150

Replacement Torches Suitable For Trafimet®


高频等离子切割枪
High Frequency Plasma Torch

技术参数 Technical Data

电流 Current	150A	引弧方式 Ignition	HF 高频
暂载 Duty Cycle	60%	气体延时 Post Flow	150 sec.recommended
气体 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.5-5.0 Bar		
气流量 Gas Flow	200LPM		

部　件 Parts

No.	Ref.	Description
1	1386	弹簧支架 Spring spacer
2		滚轮支架 Wheel spacer
3	1389	外喷嘴 Outside nozzle
4.1	1372	喷嘴 1.4mm/100A Tip 1.4mm/100A
4.2	1373	喷嘴 1.6mm/130A Tip 1.6mm/130A
4.2	1374	喷嘴 1.8mm/150A Tip 1.8mm/150A
5		长喷嘴 1.6mm/130A Long tip 1.6mm/130A
6.1		长喷嘴 1.8mm/150A Long tip 1.8mm/150A
6.2	1369	长喷嘴 1.1mm/60A/ 接触 Long tip 1.1mm/60A/drug
7	1377	分流器 Diffuser
8	1376	电极 Electrode
9	1517	长电极 Long Electrode
10	1378	冷却管 Air tube
11		枪头 Torch head
11.1		O 型圈 O-ring
12		手柄 Handle
13		开关保护档片 Protection
14		开关 Trigger
15		球节套件 Joint kit
16		电缆组 /EPDM 护套 /5M Cable assembely/EPDM/5M



17		机用枪头 Torch head/Auto
18		机用枪头 Handle/Auto
19		等离子枪扳手 Spanner for Plasma
20		等离子中央插头 Central adaptor
21		螺母连接 G1-4/M14x1.5/M16x1.5 Nut adaptor

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

PT 31

Replacement Torches Suitable For Esab®

高频等离子切割枪
High Frequency Plasma Torch

技术参数 Technical Data


电流 Current	40A	引弧方式 Ignition	HF 高频
暂载 Duty Cycle	60%	气体延时 Post Flow	50sec.recommended
气体 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.5-5.0 Bar		
气流量 Gas Flow	100LPM		

部　件 Parts

No.	Ref.	Description
1		外喷嘴 PT-31 Outside nozzle PT-31
2.1		长喷嘴 Φ 1.0mm/30A Long Tip Φ 1.0mm/30A
2.2		长喷嘴 Φ 1.0mm/40A Long Tip Φ 1.2mm/40A
3		喷嘴 Φ 1.0mm/30A Tip Φ 1.0mm/30A
4	18785	分流器 Diffuser
5.1		长电极 / 铪丝 Long Electrode/Hf
5.2		长电极 / 锆丝 Long Electrode/Zr
6.1	18250	长电极 / 铪丝 Electrode/Hf
6.2		长电极 / 锆丝 Electrode/Zr
7		等离子枪头 Plasma torch head
8		开关套件 Switch kit
9.1		等离子手柄 / 筒式 Plasma hand handle/ tube
9.2		等离子手柄 / 亚式 Plasma hand handle /asian
10.1		电缆组 /EPDM 护套 /5M Cable assembely/EPDM/5M
10.2		电缆组 / 牛仔护套 /5M Cable assembely/jeans/5M
11		等离子枪头 / 机用 Plasma torch head/auto
12		等离子手柄 Plasma handle
13		螺母连接 MM16*1.5/M14x1.5/G1/4 Nut adaptor M16*1.5/M14x1.5/G1/4
14		两芯航插 Connector/2 holes







Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

ME 50

高频等离子切割枪
High Frequency Plasma Torch


技术参数 Technical Data


电流 Current	50A
暂载 Duty Cycle	60%
气体 Gas	Air 空气
气压 Gas Pressure	4.0-5.0 Bar
气流量 Gas Flow	100 LPM

引弧方式 Ignition	HF 高频
气体延时 Post Flow	60 sec.recommended
标准长度 Standard Length	5M

部　件 Parts

No.	Ref.	Description
1		外喷嘴 Outside nozzle
2		喷嘴 Tip
3		分流器 Diffuser
4.1		电极 / 铪丝 Electrode/Hf
4.2		电极 / 锆丝 Electrode/Zr
5		等离子枪头 Plasma torch head
6		开关套件 Switch kit
7		等离子手柄 / 筒式 Plasma hand handle/ tube
8.1		电缆组 /EPDM 护套 /5M Cable assembely/EPDM/5M
8.2		电缆组 / 牛仔护套 /5M Cable assembely/jeans/5M
9		螺母连接 MM16*1.5/M14x1.5/G1/4 Nut adaptor M16*1.5/M14x1.5/G1/4
10		两芯航插 Connector/2 holes





Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

SG 51


高频等离子切割枪
High Frequency Plasma Torch


技术参数 Technical Data

电流 Current	50A	引弧方式 Ignition	HF 高频
暂载 Duty Cycle	60%	气体延时 Post Flow	50sec.recommended
气体 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.5-5.0 Bar		
气流量 Gas Flow	150LPM		

部　件 Parts

No.	Ref.	Description
1		外喷嘴 Outside nozzle
2		喷嘴 Φ 1.2mm Tip Φ 1.2mm
3		分流器 Diffuser
4.1		电极 / 铪丝 Electrode/Hf
4.2		电极 / 锆丝 Electrode/Zr
5		等离子枪头 Plasma torch head
6		开关套件 Switch kit
7		等离子手柄 Plasma hand handle
8.1		电缆组 /EPDM 护套 /5M Cable assembely/EPDM/5M
8.2		电缆组 / 牛仔护套 /5M Cable assembely/jeans/5M
9		螺母连接 MM16*1.5/M14x1.5/G1/4 Nut adaptor M16*1.5/M14x1.5/G1/4
10		两芯航插 Connector/2 holes





Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

SG 55/AG 60


高频等离子切割枪
High Frequency Plasma Torch


技术参数 Technical Data

电流 Current	60A	引弧方式 Ignition	HF 高频
暂载 Duty Cycle	60%	气体延时 Post Flow	55sec.recommended
气体 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.5-5.0 Bar		
气流量 Gas Flow	160LPM		

部　件 Parts

No.	Ref.	Description
1		外喷嘴 Outside nozzle
2		外喷嘴 / 带槽 Outside nozzle /with groove
3		喷嘴 Tip
4		电极 / 铪丝 Electrode/Hf
5		等离子枪头 Plasma torch head
6		开关套件 Switch kit
7		等离子手柄 Plasma hand handle
8.1		电缆组 /EPDM 护套 /5M Cable assembely/EPDM/5M
8.2		电缆组 / 牛仔护套 /5M Cable assembely/jeans/5M
9		螺母连接 MM16*1.5/M14x1.5/G1/4 Nut adaptor M16*1.5/M14x1.5/G1/4
10		两芯航插 Connector/2 holes





Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

SP 60

高频等离子切割枪
High Frequency Plasma Torch


技术参数 Technical Data

电流 Current	60A	引弧方式 Ignition	HF 高频
暂载 Duty Cycle	60%	气体延时 Post Flow	55sec.recommended
气体 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.5-5.0 Bar		
气流量 Gas Flow	110LPM		

部　件 Parts

No.	Ref.	Description
1		外喷嘴 Outside nozzle
2		喷嘴 Φ 1.2mm Tip Φ 1.2mm
3		电极 Electrode
4		等离子枪头 Plasma torch head
5		开关套件 Switch kit
6		等离子手柄 Plasma hand handle
7.1		电缆组 /EPDM 护套 /5M Cable assembely/EPDM/5M
7.2		电缆组 / 牛仔护套 /5M Cable assembely/jeans/5M
8		螺母连接 MM16*1.5/M14x1.5/G1/4 Nut adaptor M16*1.5/M14x1.5/G1/4
9		两芯航插 Connector/2 holes





Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

P 80


高频等离子切割枪
High Frequency Plasma Torch

技术参数 Technical Data

电流 Current	100A	引弧方式 Ignition	HF 高频
暂载 Duty Cycle	60%	气体延时 Post Flow	120 sec.recommended
气体 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.5-5.0 Bar		
气流量 Gas Flow	180 LPM		

部　件 Parts

No.	Ref.	Description
1		滑轮支架 Wheel spacer
2.1		外喷嘴 / 导电涂层 Outside nozzle/ conductive coating
2.2		外喷嘴 Outside nozzle
3.1		喷嘴 1.3mm/50A nozzle 1.3mm/50A
3.2		喷嘴 1.5mm/80A nozzle 1.5mm/80A
3.3		喷嘴 1.7mm/100A nozzle 1.7mm/100A
4		电极 Electrode
5		等离子枪头 / 手用 Plasma torch head/hand
5.1		绝缘圈 Insulator ring
6		开关套件 Switch kit
7.1		等离子手柄 / 手用 Plasma handle/hand
7.2		等离子手柄 / 手用 Plasma handle/hand
8.1		电缆组 /EPDM 护套 /5M Cable assembely/EPDM/5M
8.2		电缆组 / 牛仔护套 /5M Cable assembely/jeans/5M
9		等离子枪头 / 机用 Plasma torch head/auto
10		等离子手柄 / 机用 Plasma handle/auto
11		扳手 Wrench
12		螺母连接 MM16*1.5/M14x1.5/G1/4 Nut adaptor M16*1.5/M14x1.5/G1/4
13		两芯航插 Connector/2 holes



Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

P 160


高频等离子切割枪
High Frequency Water cooled Plasma Torch


技术参数 Technical Data


电流 Current	160A	引弧方式 Ignition	HF 高频
暂载 Duty Cycle	100%	气体延时 Post Flow	200 sec.recommended
气体 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.5-6.0 Bar	冷却方式 Cooling	水 Water
气流量 Gas Flow	220 LPM		

部　件 Parts

No.	Ref.	Description
1		滑轮支架 Wheel spacer
2		外喷嘴 Outside nozzle
3.1		喷嘴 1.3mm/50A nozzle 1.3mm/50A
3.2		喷嘴 1.5mm/80A nozzle 1.5mm/80A
3.3		喷嘴 1.7mm/100A nozzle 1.7mm/100A
3.4		喷嘴 1.9mm/160A nozzle 1.9mm/160A
4		电极 Electrode
5		冷却管 Cooling tube
6		等离子枪头 Plasma torch head
7		开关套件 Switch kit
8		等离子手柄 Plasma handle
9		球节套件 Joint kit
10.1		电缆组 /EPDM 护套 /5M Cable assembely/EPDM/5M
10.2		电缆组 / 牛仔护套 /5M Cable assembely/jeans/5M
11		电极扳手 Wrench for electrode
12		气螺母 M16*1.5/M14x1.5/G1/4 Gas adaptor M16*1.5/M14x1.5/G1/4
13		回水连接螺母 M16*1.5/M14x1.5/G1/4 Power adaptor M16*1.5/M14x1.5/G1/4
14		进水连接螺母 M16*1.5/M14x1.5/G1/4 Water adaptor M16*1.5/M14x1.5/G1/4
15		两芯航插 Connector/2 holes







Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

TC 60/ 同昌 60


高频等离子切割枪
High Frequency Water cooled Plasma Torch


技术参数 Technical Data

电流 Current	60A	引弧方式 Ignition	HF 高频
暂载 Duty Cycle	60%	气体延时 Post Flow	50 sec.recommended
气体 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.5-5.5 Bar		
气流量 Gas Flow	12 LPM		

部　件 Parts

No.	Ref.	Description
1		外喷嘴 Outside nozzle
2		喷嘴 nozzle
3		分流器 Diffuser
4		电极 Electrode
5		等离子枪头 Plasma torch head
6		开关套件 Switch kit
7		等离子手柄 Plasma handle
8.1		电缆组 /EPDM 护套 /5M Cable assembely/EPDM/5M
8.2		电缆组 / 牛仔护套 /5M Cable assembely/jeans/5M
9		螺母连接 MM16*1.5/M14x1.5/G1/4 Nut adaptor M16*1.5/M14x1.5/G1/4
10		两芯航插 Connector/2 holes





Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

TC 80/ 同昌 80


高频等离子切割枪
High Frequency Water cooled Plasma Torch


技术参数 Technical Data

电流 Current	160A	引弧方式 Ignition	HF 高频
暂载 Duty Cycle	60%	气体延时 Post Flow	100 sec.recommended
气体 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.5-5.5 Bar		
气流量 Gas Flow	180 LPM		

部　件 Parts

No.	Ref.	Description
1		外喷嘴 Outside nozzle
2		喷嘴 nozzle
3		分流器 Diffuser
4		电极 Electrode
5		等离子枪头 Plasma torch head
6		开关套件 Switch kit
7		等离子手柄 Plasma handle
8.1		电缆组 /EPDM 护套 /5M Cable assembely/EPDM/5M
8.2		电缆组 / 牛仔护套 /5M Cable assembely/jeans/5M
9		螺母连接 MM16*1.5/M14x1.5/G1/4 Nut adaptor M16*1.5/M14x1.5/G1/4
10		两芯航插 Connector/2 holes





Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

TZ 100/ 天宗 100


高频等离子切割枪
High Frequency Plasma Torch


技术参数 Technical Data


电流 Current	100A	引弧方式 Ignition	HF 高频
暂载 Duty Cycle	60%	气体延时 Post Flow	100 sec.recommended
气体 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.5-5.0 Bar		
气流量 Gas Flow	180 LPM		

部　件 Parts

No.	Ref.	Description
1		外喷嘴 Outside nozzle
2		喷嘴 nozzle
3		电极 Electrode
4		冷却管 Air tube
5		等离子枪头 Plasma torch head
6		导向轮 Site wheel
7		开关套件 Switch kit
8		等离子手柄 Plasma handle
9.1		电缆组 /EPDM 护套 /5M Cable assembely/EPDM/5M
9.2		电缆组 牛仔护套 5M Cable assembely/jeans/5M
10		电极扳手 Wrench for electrode
11		气针扳手 Wrench for air tube
12		螺母连接 MM16*1.5/M14x1.5/G1/4 Nut adaptor M16*1.5/M14x1.5/G1/4
13		两芯航插 Connector/2 holes







Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

TZ 160/ 天宗 160


高频等离子切割枪
High Frequency Plasma Torch


技术参数 Technical Data


电流 Current	160A	引弧方式 Ignition	HF 高频
暂载 Duty Cycle	60%	气体延时 Post Flow	220 sec.recommended
气体 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.5-5.5 Bar		
气流量 Gas Flow	230 LPM		

部　件 Parts

No.	Ref.	Description
1		外喷嘴 Outside nozzle
2		喷嘴 nozzle
3		电极 Electrode
4		电极座 Electrode holder
5		冷却管 Air tube
6		等离子枪头 Plasma torch head
7		导向轮 Site wheel
8		开关套件 Switch kit
9		等离子手柄 Plasma handle
10.1		电缆组 /EPDM 护套 /5M Cable assembely/EPDM/5M
10.2		电缆组 / 牛仔护套 /5M Cable assembely/jeans/5M
11		电极扳手 Wrench for electrode
12		气针扳手 Wrench for air tube
13		螺母连接 MM16*1.5/M14x1.5/G1/4 Nut adaptor M16*1.5/M14x1.5/G1/4
14		两芯航插 Connector/2 holes







Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

PT 25C

Replacement Torches Suitable For Tecmo®


低频等离子切割枪
Low Frequency Plasma Torch

技术参数 Technical Data

电流 Current	25A	引弧方式 Ignition	LF 低频
暂载 Duty Cycle	60%	气体延时 Post Flow	15 sec.recommended
气体 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	2.5-3.0 Bar		
气流量 Gas Flow	40 LPM		

部　件 Parts

No.	Ref.	Description
1	60432	两点支架 Double pointed spacer
2	CV0010	弹簧支架 Spring spacer
3.1	60510	外喷嘴 /6 孔 Outside nozzle/6 holes
3.2		外喷嘴 /4 孔 Outside nozzle/4 holes
4.1		喷嘴 0.6mm/20A Tip 0.6mm/20A
4.2		喷嘴 0.8mm/25A Tip 0.8mm/25A
5.1	51318.06	喷嘴 0.6mm/20A/ 后引弧 Tip 0.6mm/20A/back striking
5.2	51318.08	喷嘴 0.8mm/25A/ 后引弧 Tip 0.8mm/25A/back striking
6.1	51318L.06	长喷嘴 0.6mm/20A/ 后引弧 Long tip 0.6mm/20A/back striking
6.2	51318L.08	长喷嘴 0.8mm/25A/ 后引弧 Long tip 0.8mm/25A/back striking
7	60028	分流器 Diffuser
8		电极 Electrode
9	52582	电极 / 后引弧 Electrode/back striking
10	52583	长电极 / 后引弧 Long electrode/back striking
11		枪头 torch head
11a		O 型圈 "O"ring
12		手柄 Handle
13		开关 Trigger
14		球节套件 Joint kit
15		电缆组 /EPDM 护套 /5M Cable assembely/ EPDM/5M



16		等离子枪扳手 Spanner for Plasma
17	FY0023	等离子中央插头 Central adaptor
18		螺母连接 G1-4/M14x1.5/M16x1.5 Nut adaptor

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

PT 40

Replacement Torches Suitable For Tecmo®


低频等离子切割枪
Low Frequency Plasma Torch

技术参数 Technical Data

电流 Current	40A	引弧方式 Ignition	LF 低频
暂载 Duty Cycle	60%	气体延时 Post Flow	35 sec.recommended
气体 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.0-5.0 Bar		
气流量 Gas Flow	120 LPM		

部　件 Parts

No.	Ref.	Description
1	60485	保护罩 Shield Cap
2	60432	两点支架 Double pointed spacer
3	60389C	接触外喷嘴 Contact outside nozzle
4.1	60389	外喷嘴 /6 孔 Outside nozzle 6 holes
4.2		外喷嘴 /4 孔 Outside nozzle 4 holes
5.1	51318C.09	接触喷嘴 0.9mm/40A/ 后引弧 Contact tip 0.9mm/40A/back striking
5.2	51318C.10	接触喷嘴 1.0mm/50A/ 后引弧 Contact tip 1.0mm/50A/back striking
6.1	51318.06	喷嘴 0.6mm/20A/ 后引弧 Tip 0.6mm/20A/back striking
6.2	51318.08	喷嘴 0.8mm/30A/ 后引弧 Tip 0.8mm/30A/back striking
6.3	51318.09	喷嘴 0.9mm/40A/ 后引弧 Tip 0.9mm/40A/back striking
7.1	51313P.09	平头喷嘴 0.9mm/40A/ 后引弧 Flat tip 0.8mm/40A/back striking
7.2	51313P.10	平头喷嘴 1.0mm/50A/ 后引弧 Flat tip 1.0mm/50A/back striking
8	51312P.09	喷嘴 0.9mm/40A/ 后引弧 / 接触切割 Tip 0.9mm/40A/back striking/Contact
9.1	51318L.06	长喷嘴 0.6mm 20A/ 后引弧 Long tip 0.6mm/20A back striking
9.2	51318L.08	长喷嘴 0.8mm/30A/ 后引弧 Tip 0.8mm/30A/back striking
10	60028	分流器 Diffuser
11	52582	电极 / 后引弧 Electrode/back striking
12	52583	长电极 / 后引弧 Long electrode/back striking
13		枪头 Torch head
13a		O 型圈 O-ring



14		手柄 Handle
16		开关 Trigger
17		球节套件 Joint kit
18		电缆组 /EPDM 护套 /5M Cable assembely/EPDM/5M
19		等离子枪扳手 Spanner for Plasma
20		等离子中央插头 Central adaptor
21		螺母连接 G1-4/M14x1.5/M16x1.5 Nut adaptor

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

PT 60

Replacement Torches Suitable For Tecmo®


低频等离子切割枪
Low Frequency Plasma Torch

技术参数 Technical Data

电流 Current	60A	引弧方式 Ignition	LF 低频
暂载 Duty Cycle	60%	气体延时 Post Flow	55 sec.recommended
气体 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.5-5.0 Bar		
气流量 Gas Flow	130 LPM		

部　件 Parts

No.	Ref.	Description
1	60485	保护罩 Shield Cap
2	60432	两点支架 Double pointed spacer
3	60389C	接触外喷嘴 Contact outside nozzle
4.1	60389	外喷嘴 /6 孔 Outside nozzle/6 holes
5.1	51318C.09	接触喷嘴 0.9mm/40A/ 后引弧 Contact tip 0.9mm/40A/back striking
5.2	51318C.10	接触喷嘴 1.0mm/50A/ 后引弧 Contact tip 1.0mm/50A/back striking
5.3	51318C.11	接触喷嘴 1.1mm/60A/ 后引弧 Contact tip 1.1mm/60A/back striking
6.1	51318.06	喷嘴 0.6mm/20A/ 后引弧 Tip 0.6mm/20A/back striking
6.2	51318.08	喷嘴 0.8mm/30A/ 后引弧 Tip 0.8mm/30A/back striking
6.3	51318.09	喷嘴 0.9mm/40A/ 后引弧 Tip 0.9mm/40A/back striking
7.1	51313P.10	平头喷嘴 1.0mm/50A/ 后引弧 Flat tip 1.0mm/50A/back striking
7.2	51313P.11	平头喷嘴 1.1mm/60A/ 后引弧 Flat tip 1.1mm/60A/back striking
8	51312P.09	喷嘴 0.9mm/40A/ 后引弧 / 接触切割 Tip 0.9mm/40A/back striking/Contact
9.1	51318L.06	长喷嘴 0.6mm/20A/ 后引弧 Long tip 0.6mm/20A/back striking
9.2	51318L.08	长喷嘴 0.8mm/30A/ 后引弧 Tip 0.8mm/30A/back striking
10	60028	分流器 Diffuser
11	52582	电极 后引弧 Electrode back striking
12	52583	长电极 后引弧 Long electrode back striking
13		枪头 Torch head
13a		O 型圈 O-ring
14		手柄 Handle



15		开关保护档片 Protection
16		开关 Trigger
17		球节套件 Joint kit
18		电缆组 /EPDM 护套 /5M Cable assembely/EPDM/5M
19		等离子枪扳手 Spanner for Plasma
20	FY0023	等离子中央插头 Central adaptor
21		螺母连接 G1-4/M14x1.5/M16x1.5 Nut adaptor

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

PT 80

Replacement Torches Suitable For Tecmo®


低频等离子切割枪
Low Frequency Plasma Torch

技术参数 Technical Data

电流 Current	80A	引弧方式 Ignition	LF 低频
暂载 Duty Cycle	60%	气体延时 Post Flow	80 sec.recommended
气体 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.0-5.0 Bar		
气流量 Gas Flow	180 LPM		

部　件 Parts

No.	Ref.	Description
1	60434	两点支架 Double pointed spacer
2	60504	保护罩 Shield Cap
3	60510	外喷嘴 Outside nozzle
4	60511	保护罩座 Shield Cup Body
5.1	51311.10	喷嘴 1.0mm /50A / 后引弧 Tip 1.0mm/50A/ back striking
5.2	51311.11	喷嘴 1.1mm/60A/ 后引弧 Tip 1.1mm/60A/back striking
5.3	51311.12	喷嘴 1.2mm/70A/ 后引弧 Tip 1.2mm/70A/back striking
5.4	51311.13	喷嘴 1.3mm/80A 后引弧 Tip 1.3mm/80A/back striking
6	51310.09	喷嘴 0.9mm/40A/ 后引弧 / 接触切割 Tip 0.9mm/40A/back striking/Contact
7.1	51311S.10	接触喷嘴 1.0mm/50A / 后引弧 Contact tip 1.0mm/50A/back striking
7.2	51311S.11	接触喷嘴 1.1mm/60A/ 后引弧 Contact tip 1.1mm/60A/back striking
7.3	51311S.12	接触喷嘴 1.2mm/70A/ 后引弧 Contact tip 1.2mm/70A/back striking
7.4	51311S.13	接触喷嘴 1.3mm/80A/ 后引弧 Contact tip 1.3mm/80A/back striking
8	60027	分流器 Diffuser
9	52558	电极 / 后引弧 Electrode/back striking
10	09800.42	冷却管 Air tube
11		枪头 Torch head
11a		O 型圈 O-ring
12		手柄 Handle
13		开关保护档片 Protection



14		开关 Trigger
15		球节套件 Joint kit
16		电缆组 EPDM 护套 5M Cable assembely EPDM
17		等离子枪扳手 Spanner for Plasma
18		等离子中央插头 Central adaptor
19		螺母连接 G1-4/M14x1.5/M16x1.5 Nut adaptor

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

PT 100

Replacement Torches Suitable For Tecmo®


低频等离子切割枪
Low Frequency Plasma Torch

技术参数 Technical Data

电流 Current	100A	引弧方式 Ignition	LF 低频
暂载 Duty Cycle	60%	气体延时 Post Flow	100 sec.recommended
气体 Gas	Air 空气	标准长度 Standard Length	5M
气压 Gas Pressure	4.5-5.5 Bar		
气流量 Gas Flow	240 LPM		

部　件 Parts

No.	Ref.	Description
1	60444	两点支架 Double pointed spacer
2.1	60504	保护罩 30-70A Shield Cap
2.2	60505	保护罩 80-100A Shield Cap
3.1	60500	外喷嘴 30-70A Outside nozzle 30-70A
3.2	60501	外喷嘴 80-100A Outside nozzle 80-100A
4	60502	保护罩座 Shield Cup Body
5.1	51246.10	喷嘴 1.0mm 50A/ 后引弧 Tip 1.0mm 50A/back striking
5.2	51246.11	喷嘴 1.1mm 60A/ 后引弧 Tip 1.1mm 60A/back striking
5.3	51246.12	喷嘴 1.2mm 70A/ 后引弧 Tip 1.2mm 70A/back striking
5.4	51246.14	喷嘴 1.4mm 80A/ 后引弧 Tip 1.4mm 80A/back striking
5.5	51246.16	喷嘴 1.6mm 100A/ 后引弧 Tip 1.6mm 100A/back striking
6.1	51276.10	接触喷嘴 1.0mm 50A/ 后引弧 Contact tip 1.0mm 50A/back striking
6.2	51276.11	接触喷嘴 1.1mm 60A/ 后引弧 Contact tip 1.1mm 60A/back striking
6.3	51276.12	接触喷嘴 1.2mm 70A/ 后引弧 Contact tip 1.2mm 70A back striking
6.4	51276.14	接触喷嘴 1.4mm 80A/ 后引弧 Contact tip 1.4mm 80A/back striking
6.5	51276.15	接触喷嘴 1.5mm 100A/ 后引弧 Contact tip 1.5mm 100A/back striking
7	60026	分流器 Diffuser
8	52556	电极 / 后引弧 Electrode/back striking
9	09700.48	冷却管 Air tube
10		枪头 Torch head
11		手柄 Handle



12		开关保护档片 Protection
13		开关 Trigger
14		球节套件 Joint kit
15		电缆组 EPDM 护套 5M Cable assembely EPDM
16		等离子枪扳手 Spanner for Plasma
17		等离子中央插头 Central adaptor
18		螺母连接 G1-4/M14x1.5/M16x1.5 Nut adaptor

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

APC 50



部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1		喷嘴 APC-50 Nozzle APC-50	2		电极 Electrode


APC 80



部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1		喷嘴 APC-80 Nozzle APC-80	2		电极 Electrode

CUT 70 Compatible parts for Binzel®



部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	742.D008	喷嘴 0.9mm/30A Nozzle 0.9mm/30A		742.D038	喷嘴 1.1mm/50A Nozzle 50A 1.1mm/50A
	742.D018	喷嘴 1.1mm/30-60A Nozzle 1.1mm/30-60A	3	742.D056	电极 Electrode
	742.D041	喷嘴 1.2mm/50-70A Nozzle 1.2mm/50-70A	4	742.D057	长电极 Long electrode
2	742.D014	长喷嘴 0.9mm/30A Long nozzle 0.9mm/30A	5	742.D012	Insulator 绝缘套

CUT 110 Compatible parts for Binzel®



部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	745.D018	喷嘴 1.0mm/30A-50A Nozzle 1.0mm/30A-50A		745.D065	喷嘴 1.6mm/90A-110A Nozzle 1.6mm/90A-110A
		喷嘴 1.2mm/40A-70A Nozzle 1.2mm/40A-70A			电极 Electrode

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

CUT 150 Compatible parts for Binzel®




1 2 3 4 5

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	757.D092	防溅保护罩 Spatter protector		757.D010	喷嘴 1.6mm/120A Nozzle 1.6mm/120A
2	757.D091	保护套体 Cap body		757.D011	喷嘴 1.8mm/150A Nozzle 1.8mm/150A
3	757.D037	喷嘴 1.2mm/70A Nozzle 1.2mm/70A	4	757.D060	涡流环 Swirl ring
	757.D009	喷嘴 1.5mm/90A Nozzle 1.5mm/90A	5	757.D008	电极 Electrode

CUT 200W Compatible parts for Binzel®



1 3 2 4

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	758.0035	喷嘴 1.2mm/40-70A Nozzle 1.2mm/40-70A		758.0041	喷嘴 1.4mm/70-90A Nozzle 1.4mm/70-90A
	758.0036	喷嘴 1.4mm/70-90A Nozzle 1.4mm/70-90A		758.0042	喷嘴 1.4mm/70-90A Nozzle 1.4mm/70-90A
	758.0037	喷嘴 1.6mm/90-120A Nozzle 1.6mm/90-120A		758.0044	喷嘴 1.8mm/120-160A Nozzle 1.8mm/120-160A
	758.0038	喷嘴 1.8mm/120-160A Nozzle 1.8mm/120-160A		758.0044	喷嘴 2.0mm/160-200A Nozzle 2.0mm/160-200A
	758.0039	喷嘴 2.0mm/160-200A Nozzle 2.0mm/160-200A	3	758.0030	电极 Electrode
2	758.0040	喷嘴 1.2mm/40-70A Nozzle 1.2mm/40-70A	4	758.0031	电极 Electrode

PSB 30 Compatible parts for Binzel®



1 2

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	744.0010	喷嘴 Nozzle	2	744.0014	电极 Electrode

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

PSB 31 Compatible parts for Binzel®


1


3


2


4

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	742.0083	喷嘴 1.0mm/30-40A Nozzle 1.0mm/30-40A		742.0026	喷嘴 / 电镀 1.2mm/40-50A Nozzle/Plated 1.2mm/40-50A
	742.0105	喷嘴 1.2mm/40-50A Nozzle 1.2mm/40-50A	3	742.0016	电极 /15.5mm Electrode/15.5mm
2	742.0011	喷嘴 / 电镀 1.0mm/30-40A Nozzle/Plated 1.0mm/30-40A	4	742.0015	电极 /15mm Electrode/15mm

PSB 60/121 Compatible parts for Binzel®


1


2

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	743.0122	喷嘴 1.0mm/30-40A Nozzle 1.0mm/30-40A		743.0209	喷嘴 1.8mm/90-100A Nozzle 1.8mm/90-100A
	743.0142	喷嘴 1.3mm/50-60A Nozzle 1.3mm/50-60A	3	743.0355	喷嘴 2.0mm/>100A Nozzle 2.0mm/>100A
2	743.0132	喷嘴 1.5mm/70-80A Nozzle 1.5mm/70-80A	4	743.0041	电极 Electrode

CP 30 Compatible parts for Cebora®


1


5


2


3


6


4

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	C1304	喷嘴 1.0mm Nozzle	4	C1306	长尖喷嘴 1.0mm Long nozzle conical 1.0mm
2	C1305	尖喷嘴 1.0mm Nozzle conical 1.0mm	5	C1520	电极 Electrode
3	C1370	长喷嘴 1.0mm Long nozzle 1.0mm	6	C1519	电极 Long electrode

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

CP 40 Compatible parts for Cebora®



1 2 3

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	C1290	喷嘴 Nozzle	3	C1516	电极 Electrode
2	C1507	涡流环 Swirl ring			

CP 90/91 Compatible parts for Cebora®



1 2 3

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	C1847	喷嘴 1.0mm/30-40A Nozzle 1.0mm/30-40A	2	C1510	涡流环 Swirl ring
	C1848	喷嘴 1.3mm/50-60A Nozzle 1.3mm/50-60A	3	C1368	电极 Electrode
	C1849	喷嘴 1.5mm/70-80A Nozzle 1.5mm/70-80A			

CP 95 Compatible parts for Cebora®



1 2

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	C1850	喷嘴 0.9mm/25A Nozzle 0.9mm/25A	2	C1388	电极 Electrode
	C1851	喷嘴 1.0mm/30-40A Nozzle 1.0mm/30-40A			

CP 161 Compatible parts for Cebora®



1 2


部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	C1760	喷嘴 1.2mm/40-60A Nozzle 1.2mm/40-60A		C1763	喷嘴 1.8mm/120-160A Nozzle 1.8mm/120-160A
	C1761	喷嘴 1.4mm/60-100A Nozzle 1.4mm/60-100A	2	C1876	电极 Electrode
	C1762	喷嘴 1.6mm/100-120A Nozzle 1.6mm/100-120A			

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

CP 200 Compatible parts for Cebora®


1


2

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	C1842	喷嘴 1.0mm/50A Nozzle 1.0mm/50A		C1845	喷嘴 1.8mm/160A Nozzle 1.8mm/160A
	C1843	喷嘴 1.3mm/90A Nozzle 1.3mm/90A	2	C1367	电极 Electrode
	C1844	喷嘴 1.6mm/120A Nozzle 1.6mm/120A			

PT 17 Compatible parts for Esab®


1


2

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	19914	喷嘴 0.93mm/0.037'' Nozzle 0.93mm		20056	喷嘴 1.70mm/0.067'' Nozzle 1.70mm/0.067''
	19915	喷嘴 1.16mm/0.046'' Nozzle 1.16mm/0.046''		20426	喷嘴 / 气刨 /70A Nozzle/gouging/70A
	19916	喷嘴 1.32mm/0.052'' Nozzle 1.32mm/0.052''	2	19918	电极 Electrode
	19917	喷嘴 1.44mm/0.057'' Nozzle 1.44mm/0.057''			

PT 20 Compatible parts for Esab®


1


2


部 件 Parts


No.	Ref.	Description	No.	Ref.	Description
1	21330	喷嘴 1.0mm/50A Nozzle 1.0mm/50A		21328	喷嘴 1.5mm/100A Nozzle 1.5mm/100A
	21329	喷嘴 1.3mm/70A Nozzle 1.3mm/70A	2	21150	电极 Electrode

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

PT 23/27 Compatible parts for Esab®


1


3


2

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	33368	喷嘴 0.93mm/ 0.037''/30A Nozzle 0.93mm/ 0.037''/30A	2	33418	喷嘴 1.32mm/0.052''/80A Nozzle 1.32mm/0.052''/80A
	33369	喷嘴 1.16mm/0.046''/50A Nozzle 1.16mm/0.046''/50A	3	33366	电极 Electrode

PT 25 Compatible parts for Esab®


1



2

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	21596	喷嘴 50A Nozzle 50A		21599	喷嘴 气刨 Nozzle gouging
	21597	喷嘴 100A Nozzle 100A	2	21595	电极 Electrode
	21598	喷嘴 150A Nozzle 150A			

PT 32 Compatible parts for Esab®


1


2

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	0558002908	喷嘴 40A Nozzle 40A	2	0558002837	喷嘴 90A Nozzle 90A
	0558002618	喷嘴 50-70A Nozzle 50-70A	3	0558001969	电极 Electrode

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

PT 37 Compatible parts for Esab®



1 2 3

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	0558006601	保护罩 100A Shield 100A		0558005219	喷嘴 70A Nozzle 70A
2	0558005218	喷嘴 30A Nozzle 30A		0558004879	喷嘴 100A Nozzle 100A
	0558004878	喷嘴 50A Nozzle 50A	3	0558005220	电极 Electrode

PT 38 Compatible parts for Esab®




1 2

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	0558008417	喷嘴 60A Nozzle 670A		0558007682	喷嘴 接触切割 40A Nozzle drag 70A
	0558005219	喷嘴 70A Nozzle 70A	2	0558005220	电极 Electrode
	0558007680	喷嘴 90A Nozzle 90A			

Powermax 20/PAC110 Compatible parts for Hypertherm®



1 3

2 4


部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	020299	喷嘴 20A Nozzle 20A		120504	长喷嘴 90A Long nozzle 90A
	020219	喷嘴 70A Nozzle 70A	3	020220	电极 Electrode
2	020381	长喷嘴 70A Long nozzle 90A	4	020382	长电极 Long Electrode

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

Powermax 30 Compatible parts for Hypertherm®



1


2


部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	220480	喷嘴 Nozzle	2	220478	电极 Electrode

Powermax 600/PAC123 Compatible parts for Hypertherm®


1


2



3

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	120828	保护套 Shield	3	120573	电极 Electrode
2	120826	喷嘴 Nozzle			


Powermax 800/PAC121 Compatible parts for Hypertherm®


1


4


2


3



5

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	020350	喷嘴接触切割 0.96mm Nozzle drug 0.96mm		120305	长喷嘴 Long nozzle
	020395	喷嘴接触切割 1.06mm Nozzle drug 1.06mm	4	120573	电极 Electrode
2	020542	喷嘴 Nozzle	5	120574	长电极 Long electrode
3	020546	长喷嘴 Long nozzle			

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

Powermax 1250 Compatible parts for Hypertherm®



部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	120930	保护套 100TM Shield 100TM		120927	喷嘴 80A Nozzle 80A
2	120979	保护套 100T Shield 100T	5	220006	喷嘴 无保护 40A Nozzle unshielded 40A
3	120928	外固定罩 Retaining cap	6	220329	喷嘴 精细 40A Nozzle fine 40A
4	120932	喷嘴 40A Nozzle 40A	7	120925	涡流环 Swirl ring
	120931	喷嘴 60A Nozzle 60A	8	120926	电极 100A Electrode 100A

Powermax 1650 Compatible parts for Hypertherm®




部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	220047	保护套 Shield	4	220051	涡流环 Swirl ring
2	220048	外固定罩 Retaining cap	5	220037	电极 Electrode
3	220011	喷嘴 100A Nozzle 100A			

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

MAX 200 Compatible parts for Hypertherm®



1 2 3 4 5

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	020424	保护套 Shield	4	020607	涡流环 Swirl ring
2	120837	外固定罩 Retaining cap	5	220021	电极 Electrode
3	020608	喷嘴 Nozzle			

SR 45 Compatible parts for Lincoln®



1 2

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	770104	喷嘴 Nozzle	2	770015	电极 Electrode

LC 25 Compatible parts for Lincoln®



1 2 3 4 5

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	W03X0893-78R	支架 Spacer	4	W03X0893-5R	涡流环 Swirl ring
2	W03X0893-77A	外固定罩 Retaining cap	5	W03X0893-75A	电极 Electrode
3	W03X0893-76A	喷嘴 Nozzle			

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

LC 40 Compatible parts for Lincoln®




1 2 3 4 5

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	W03X0893-14R	支架 Spacer	4	W03X0893-5R	涡流环 Swirl ring
2	W03X0893-10A	外固定罩 Retaining cap	5	W03X0893-1A	电极 Electrode
3	W03X0893-2A	喷嘴 Nozzle			

LC 65 Compatible parts for Lincoln®




1 2 3 4 5 6

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	W03X0893-14R	支架 Spacer	4	W03X0893-33A	喷嘴 接触 50A Nozzle dir contact 50A
2	W03X0893-41A	外固定罩 Retaining cap		W03X0893-34A	喷嘴 接触 60A Nozzle dir contact 60A
3	W03X0893-27A	喷嘴 40A Nozzle 40A	5	W03X0893-50R	涡流环 Swirl ring
	W03X0893-28A	喷嘴 50A Nozzle 50A	6	W03X0893-25A	电极 Electrode
	W03X0893-29A	喷嘴 60A Nozzle 60A			

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

LC 105 Compatible parts for Lincoln®



部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	KP4141-14	保护套 40A Shield 40A		KP4141-7	喷嘴 100A Nozzle 100A
	KP4141-15	保护套 50-80A Shield 50-80A	5	W03X0893-61A	喷嘴 40A Nozzle 40A
	KP4141-16	保护套 100A Shield 100A		W03X0893-62A	喷嘴 60A Nozzle 60A
2	W03X0893-67A	保护套 40A Shield 40A		W03X0893-63A	喷嘴 80A Nozzle 80A
	W03X0893-68A	保护套 50-80A Shield 50-80A		W03X0893-64A	喷嘴 100A Nozzle 40A
	W03X0893-69A	保护套 100A Shield 100A		W03X0893-65A	喷嘴 气刨 100A Nozzle gouge 100A
3	W03X0893-66A /KP2845-10	外固定罩 Retaining cap	6	W03X0893-70R	涡流环 Swirl ring
4	KP4141-4	喷嘴 40A Nozzle 40A	7	KP4141-9	涡流环 Swirl ring
	KP4141-5	喷嘴 60A Nozzle 60A	8	W03X0893-60A	电极 Electrode
	KP4141-6	喷嘴 80A Nozzle 80A	9	KP4141-1	电极 Electrode

ICE 12 Compatible parts for Miller®



部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	196926/7-7926	喷嘴 Nozzle	2	196925/7-7925	电极 Electrode

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.


ICE 25C/27C Compatible parts for Miller®



部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	176656	喷嘴 Nozzle	2	176655	电极 Electrode

ICE 40C/50C/55C Compatible parts for Miller®



部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	204323	保护套 40C Shield 40C		192051	喷嘴 55C Nozzle 55C
2	192053	保护套 50C/55C Shield 50C/55C	6	192052	喷嘴 加长 35A 55C Nozzle extended 35A 55C
3	192050	外固定罩 40C/50C/55C Retaining cap	7	192049	涡流环 40C/50C/55C Swirl ring 40C/50C/55C
4	204325	喷嘴 40C Nozzle 40C	8	192047	电极 40C/50C/55C Electrode 40C/50C/55C
5	177890	喷嘴 50C Nozzle 50C	9	192048	电极 加长 50C/55C Electrode extended 50C/55C

ICE 70/100D Compatible parts for Miller®



部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	169220	喷嘴 1.3mm Nozzle 1.3mm	2	120573	电极 Electrode
	169227	喷嘴 1.5mm Nozzle 1.5mm			

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.


ICE 80C Compatible parts for Miller®



部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	177896	喷嘴 Nozzle	3	177895	电极 Electrode
2	177897	涡流环 Swirl ring			


ICE 100T/100TM Compatible parts for Miller®



部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	212730	保护套 100T Shield 100T	4	212726	喷嘴 80A Nozzle 80A
2	212732	保护套 100TM Shield 100TM	5	219679	喷嘴 100A Nozzle 100A
3	212725	喷嘴 40A Nozzle 40A	6	212724	电极 80A Electrode 80A
	219676	喷嘴 60A 100T Nozzle 60A 100T	7	219678	电极 100A Electrode 100A
	219682	喷嘴 60A 100TM Nozzle 60A 100TM			

XT 40 Compatible parts for Miller®



部　件 Parts


No.	Ref.	Description	No.	Ref.	Description
1	249927	喷嘴 30A Nozzle 30A	4	249931	涡流环 Swirl ring
2	249928	喷嘴 40A Nozzle 40A	5	249926	电极 Electrode
3	256026	喷嘴 60A Nozzle 40A			

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

XT 65 Compatible parts for Miller®



1



2

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	674845	喷嘴 Nozzle	2	674234	电极 Electrode

OTC 35 Compatible parts for OTC®



1



2

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	H705F04	喷嘴 Nozzle	2	H705F05	电极 Electrode

OTC 70 Compatible parts for OTC®



1



2

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	H669G06	喷嘴 1.0mm/50A Nozzle 1.0mm/50A	2	H669G11	电极 Electrode
	H669G05	喷嘴 1.2mm/70A Nozzle 1.2mm/70A	3		

OTC 80 Compatible parts for OTC®



1



2

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	H767F03	喷嘴 30A 0.8mm Nozzle 50A 0.8mm	2	H767F01	喷嘴 80A 1.2mm Nozzle 80A 1.2mm
	H767F02	喷嘴 50A 1.0mm Nozzle 50A 1.0mm	3	H777G00	电极 Electrode

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

OTC 120 Compatible parts for OTC®



1



2

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	H839K03	喷嘴 30A 0.8mm Nozzle 50A 0.8mm		H839G03	喷嘴 120A 1.6mm Nozzle 80A 1.6mm
	H839K02	喷嘴 50A 1.0mm Nozzle 50A 1.0mm	2	H839M00	电极 Electrode
	H839K01	喷嘴 80A 1.2mm Nozzle 80A 1.2mm			

CP 40R/100R Compatible parts for SAF®



1



2



3

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	0408-2405	保护套 Shield		0408-2385	喷嘴 1.6mm Nozzle 1.6mm
2	0408-2261	喷嘴 1.0mm Nozzle 1.0mm	3	0408-2404	电极 Electrode
	0408-2262	喷嘴 1.2mm Nozzle 1.2mm			

CPM 15 Compatible parts for SAF®



1



2

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	0409-1220	喷嘴 Nozzle	2	0409-1204	电极 Electrode

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

SG 52 Compatible parts for SG®



1



2

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1		喷嘴 Nozzle	2		电极 Electrode

SG 53 Compatible parts for SG®



1



2

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1		喷嘴 Nozzle	2		电极 Electrode

SG 58 Compatible parts for SG®



1



2

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1		喷嘴 Nozzle	2		电极 Electrode

SG 123 Compatible parts for SG®



1



2

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1		喷嘴 Nozzle	2		电极 Electrode

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

SG 130 Compatible parts for SG®


1


2

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1		喷嘴 Nozzle	2		电极 Electrode

SP 90 Compatible parts for SP®


1


3



2

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1		喷嘴 Nozzle	2		电极 Electrode
		喷嘴 平端 Nozzle flat	3		

SPC 50 Compatible parts for SPC®


1


2

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1		喷嘴 Nozzle	2		电极 Electrode

IPT 45 Compatible parts for Harbor freight®


1


2


部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	56811	喷嘴 45A Nozzle	2	56576	电极 Electrode

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

IPT 65 Compatible parts for Harbor freight®


1



2

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	59164	喷嘴 Nozzle	2	59182	电极 Electrode

TH 70 Compatible parts for Tecmo®


1


2

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	51206	喷嘴 20-50A Nozzle 20-50A	2	52574	电极 Electrode
	51206.11	喷嘴 70A Nozzle 70A			


TH 125 Compatible parts for Tecmo®


1


2


3


4



5

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	51921	保护套 手动 45-85A Shield Hand 30-70A		51417	喷嘴 65A Nozzle 65A
	51926	保护套 手动 100-125A Shield Hand 100-125A		51418	喷嘴 85A Nozzle 85A
2	51922	保护套 机动 45-85A Shield Auto 45-85A		51419	喷嘴 105A Nozzle 105A
	51927	保护套 机动 100-125A Shield Auto 100-125A		51619.16	喷嘴 125A Nozzle 125A
3	51415	喷嘴 45A Nozzle 45A	4	60040	涡流环 Swirl ring
	51416	喷嘴 45A Nozzle 45A	5	52677	电极 Electrode

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.


PT 105 Compatible parts for Tecmo®



部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	60514	保护套 手动 30-70A Shield Manual 30-70A		51257.1	喷嘴 1.1mm Nozzle 1.1mm
	60515	保护套 手动 80-100A Shield Manual 80-100A		51258.13	喷嘴 1.3mm Nozzle 1.3mm
2	60516	保护套 机动 30-70A Shield Auto 30-70A		51258.15	喷嘴 1.5mm Nozzle 1.5mm
	60517	保护套 机动 80-100A Shield Auto 80-100A	5	60021	涡流环 4 孔 Swirl ring 4-holes
3	60499	外固定罩 Retaining cap		60022	涡流环 6 孔 Swirl ring 6-holes
4	51257.09	喷嘴 0.9mm Nozzle 0.9mm	6	52559	电极 Electrode

MC 40 Compatible parts for Thermal Dynamics®



部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	64006532	喷嘴 0.6mm Nozzle 0.6mm	2	64006534	喷嘴 0.8mm Nozzle0.8mm
	64006533	喷嘴 0.8mm Nozzle0.8mm	3	64006536	电极 Electrode

MC 60 Compatible parts for Thermal Dynamics®



部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	64006508	喷嘴 0.8mm Nozzle 0.8mm	2	64006514	电极 Electrode
	64006510	喷嘴 1.0mm Nozzle 1.0mm			

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

PCH 10 Compatible parts for Thermal Dynamics®


1


2

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	9-6099	喷嘴 Nozzle	2	9-6006	电极 Electrode

PCH 20 Compatible parts for Thermal Dynamics®


1


2


3

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	8-3214	保护套 Shield	3	9-6006	电极 Electrode
2	8-3218	喷嘴 1.0mm Nozzle 1.0mm			

PCH 25/38 Compatible parts for Thermal Dynamics®


1


2


3

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	9-4476	喷嘴 Nozzle	3	9-6006	电极 Electrode
2	9-6507	涡流环 Swirl ring			

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

PCH 26/28/35 Compatible parts for Thermal Dynamics®


1


2


3

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	9-6501	喷嘴 Nozzle	2	9-6507	涡流环 Swirl ring
	9-6500	喷嘴 Nozzle	3	9-6506	电极 Electrode

PCH 51 Compatible parts for Thermal Dynamics®


1


2

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	9-5718	喷嘴 1.0mm/10-40A Nozzle 1.0mm/10-40A		9-5724	喷嘴 / 气刨 /0.78mm Nozzle/gouge/0.78mm
	9-5631	喷嘴 1.1mm40-60A Nozzle 1.1mm/40-60A	2	9-5633	电极 Electrode
	8-3321	喷嘴 1.3mm/65A Nozzle 65A 1.3mm/65A			

PCH 52 Compatible parts for Thermal Dynamics®


1


3



2

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	9-5702	喷嘴 0.8mm/40A Nozzle 0.8mm/40A	2	9-5709	喷嘴 0.078''/70A Nozzle 0.078''/70A
	9-5618	喷嘴 1.1mm/45-55A Nozzle 1.1mm/45-55A		9-5710	喷嘴 0.093''/105A Nozzle 0.093''/105A
	9-5707	喷嘴 1.2mm/60-70A Nozzle 1.2mm/60-70A		9-5713	喷嘴 0.113''/105A Nozzle 0.113''/105A
	9-5782	喷嘴 80A Nozzle 80A	3	9-5619	电极 Electrode
	9-5708	喷嘴 105A Nozzle 105A			

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

PCH/M 62/102 Compatible parts for Thermal Dynamics®



部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	9-8251	两脚支架 Tow pionts spacer		8-7505	喷嘴 70A Nozzle 70A
2	8-7503	喷嘴 30-40A/0.9mm Nozzle 30-40A/0.9mm		9-7728	喷嘴 80A/1.4mm Nozzle 80A/1.4mm
	8-7504	喷嘴 55A Nozzle 55A		9-8406	喷嘴 100A Nozzle 100A
	8-7514	喷嘴 50-60A Nozzle 50-60A	3	9-8402	电极 Electrode
	8-7515	喷嘴 70-80A Nozzle 70-80A	4	9-8407	电极 Electrode
	9-7726	喷嘴 60A Nozzle 60A			

PCH 80 Compatible parts for Thermal Dynamics®



部　件 Parts


No.	Ref.	Description	No.	Ref.	Description
1	KP2065-1	保护套 Shield		KP2062-2B3	喷嘴 1.3mm Nozzle 1.3mm
2	KP2062-2B1	喷嘴 0.8mm Nozzle 0.8mm	3	KP2063-1B1	电极 Electrode
	KP2062-2B2	喷嘴 1.0mm Nozzle 1.0mm			

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

SL 40 Compatible parts for Thermal Dynamics®



1




2

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	9-0093	喷嘴 接触 Nozzle drag	2	9-0096	电极 Electrode
	9-0094	喷嘴 40A Nozzle			

SL 60/100 Compatible parts for Thermal Dynamics®



1
2
3
4
5
6
7
8
9
10

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	9-8243	保护套 抗渣 40-100A Shield cap delflector 40-100A		9-8210	喷嘴 60A Nozzle 60A
2	9-8245	保护套 机用 40A Shield machine 40A	7	9-8211	喷嘴 80A Nozzle 80A
	9-8238	保护套 机用 50-60A Shield machine 50-60A		9-8212	喷嘴 100A Nozzle 100A
	9-8239	保护套 机用 70-100A Shield machine 70-100A	8	9-8253	喷嘴 120A Nozzle 120A
3	9-8256	保护套 机用 120A Shield machine 120A	9	9-8213	点火器 Start cartridge
4	9-8237	固定罩 Shield cup body		9-8277	点火器 重型 Start cartridgeHD
5	9-8218	固定罩 一体 Shield cup	10	9-8215	电极 40-100A Electrode 40-100A
6	9-8207	喷嘴 40A Nozzle 40A		9-8232	电极 120A Electrode 120A

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

HP 25/50 Compatible parts for Hobart®


1


2

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	770795	喷嘴 Nozzle	2	770496	电极 Electrode

XT 12R/XT 30R/XT 40R Compatible parts for Hobart®


1


2


3

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	770795	喷嘴 15A Nozzle 15A	2		涡流环 Swirl ring
	770796	喷嘴 30A Nozzle 30A	3	770791	电极 Electrode
	770797	喷嘴 40A Nozzle 40A			

S 65 Compatible parts for Trafimet®


1


2


3


4

部　件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	PC0098	保护套 Shield	2	PE0106	涡流环 Swirl ring
	PD0098	喷嘴 Nozzle	3	PR0098	电极 Electrode

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

S 125 Compatible parts for Trafimet®



部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	PC0179	保护套 Shield	3	PE0179	涡流环 Swirl ring
2	PD0179-13	喷嘴 80A/1.3mm Nozzle 80A/1.3mm	4	PR0179	电极 Electrode
	PD0179-14	喷嘴 100A/1.4mm Nozzle 100A/1.4mm	5	FH0979	气针 Cooling tube
	PD0179-15	喷嘴 120A/1.5mm Nozzle 120A/1.5mm			

A 51 Compatible parts for Trafimet®



部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1	PD0150	喷嘴 Nozzle	2	PR0150	电极 Electrode

AP Compatible parts for AP®



部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1		喷嘴 Nozzle	2		电极 Electrode

EP Compatible parts for EP®



部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1		喷嘴 Nozzle	2		电极 Electrode

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

LZHQ-01

电容储能螺柱焊枪
CD Stud welding gun

技术参数 Technical Data

工作方式 Method	接触式 Contacted
焊接螺柱直径范围 Stud Diameter	2-10mm
焊接长度范围 Stud length	标准 35
	可加长至任意长度 Standard – up to 35mm
电缆长度 Cable length	4m



LZHQ-01H

保温钉用电容储能螺柱焊枪
CD Stud welding gun for coupl pin

技术参数 Technical Data

工作方式 Method	接触式 Contacted
保温钉盘规格 Stud Diameter	25mm
	30mm
	35mm
电缆长度 Cable length	4m



Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.

Compatible laser parts for Trumpf®



1 2

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1		喷嘴 Nozzle	2		喷嘴 - 电镀 Nozzle CP

Compatible laser parts for Mitsubishi®



1 2

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1		喷嘴 Nozzle	2		喷嘴 - 电镀 Nozzle CP

Compatible laser parts for Han's®



1 2

部 件 Parts

No.	Ref.	Description	No.	Ref.	Description
1		喷嘴 Nozzle	2		喷嘴 - 电镀 Nozzle CP

Shenyang WS JiuJiu Welding Technology Co., Ltd. has no affiliation or connection with any manufacturer mentioned in this catalog. The parts advertised for sale are not originalfactory parts, but parts manufactured by Shenyang WS JiuJiu Welding Technology Co., Ltd.. The use of OEM part numbers and any manufacturer registered or unregistered trademarks is for your convenience only. The brands and trademarks mentioned in this article are the exclusive property of each registrant.