



# LED Batten Light

## LL-A Series





## High Lumens 120lm/w


L70>100,000 Hours

## Flicker Free

Anti Glare & Flicker Free

## Silvery finish optional

White finish in standard and  
Silvery finish optional



## Smart Function

Motion Sensor

Color Temperature Switchable

## Easy to Installation

With Movable mounted clips

With Linkable wiring Connector



## Slim Body Design

Save shipping cost Largely

20' Container= 5440pcs 1200mm

40' Container= 13200pcs 1200mm

## Parameter


Model No.	LL600-20A	LL1200-40A	LL1500-60A	LL1800-72A
Wattage	20W	40W	60W	72W
Size	2ft/600mm	4ft/1200mm	5ft/1500mm	6ft/1800mm
Lumens output	2000lm/2400lm	4000lm/4800lm	6000lm/7200lm	7200lm/8640lm
LEDs Quantity	144pcs	288pcs	432pcs	576pcs
LEDs	SMD2835, SDCM<5			
Luminous Efficacy	100lm/w or 120lm/w optional			
CCT	3000K, 4000K, 5000K,6500K			
CRI	Ra>80, R9>0			
Beam Angle	120°			
Input Voltage	180-240Vac 50/60Hz			
THD	<18%			
Power Factor	>0.93			
IP Rating	IP40			
Working Temp.	-40°C ~ 50°C			
Storage Temp.	-40°C ~ 70°C			
Housing	Aluminum+PMMA			
Installation	Mounting, Hanging			
Lifespan(>70)	>100,000 Hours			
Warranty	5 Years			
Certification	CE, RoHs, SAA			

## Smart Function

Add the product part numbers to include this smart function

Motion Sensor	Color Temperature Switchable
---------------	------------------------------

## Dimension



Model No.	Power	Length L (mm)
LL600-20A	20W	600
LL1200-40A	40W	1200
LL1500-60A	60W	1500
LL1800-72A	72W	1800

# Order Information

Sample: LL1200-40A-60K


	-XXX	X
<b>Product Family</b>	<b>CCT</b>	<b>Function</b>
LL600-20A= 600mm 20W LL1200-40A= 1200mm 40W LL1500-60A= 1500mm 60W LL1800-72A= 1800mm 72W	30K = 3000K 40K = 5000K 60K = 6000K CCT = CCT Switchable	Blank = No-dimming MS= Motion Sensor
<b>In Standard</b>	<b>Options (add as Suffix)</b>	<b>Accessories (order Separately)</b>
100lm/w Ra>80 Voltage: 180-240Vac 50/60Hz 2pcs Surface Mounted Clips	120LM = 120lm/w SV = Silvery Finish (MOQ>1000pcs) Other customized	SK = Handing Chain 1m

# Package Information


ITEM	QTY/CTN	G. W.	CTN SIZE	QTY/20GP	QTY/40HQ
LL600-20A	20pcs	11.5kg	63x36x23cm (0.052cbm)	10780	26160
LL1200-40A	20pcs	22.5kg	124x36x23cm (0.103cbm)	5440	13220
LL1500-60A	20pcs	28.0kg	153x36x23cm (0.127cbm)	4420	10720
LL1800-72A	10pcs	29.7kg	182x21.5x19.5cm (0.076cbm)	3690	8950

# Installation


(1) Make a right position for screw hole




(2) Make a right position for screw hole



(3) Wiring and connect to the lamp



(4) Put the lamp into the clips



(5) Adjust the position of the fixture

