

CGT


info@cgtled.com



Half Cut Off LED Wall
Pack

WP-B

- DLC Listed (42W, 60W, 80W, 100W, 120W)
- ETL, cETL Listed
- High Lumens 120lm/w
- IP65 Wet Location
- Wall Mounted
- Photocell Removable
- 5 Years warranty



Multi-Voltage 100-347Vac

Multi-Voltage can for 120Vac, 277Vac, 347Vac




Photocell optional

support Removable



High transmittance Cover

Lumens up to 120lm/w



Integral Heat sink


With Good Heat Dissipation

Long lifespan with 5 Years Warranty

Parameter

Model No.	WP-42B	WP-60B	WP-80B	WP-100B	WP-120B
Wattage	42W	60W	80W	100W	100W
Luminous Efficacy	120lm/w	120lm/w	120lm/w	120lm/w	120lm/w
Lumens output	5040lm	7200lm	9600lm	12000lm	14400lm
HID/MF Equivalent	200W	250W	350W	400W	500W
Fixture Weight	2.5Kg(5.5lb)	2.5Kg(5.5lb)	2.8Kg(6.2lb)	3.0Kg(6.6lb)	3.0Kg(6.6lb)
LEDs Brand	(Philips) Lumileds SMD3030				
CCT	3000K, 4000K, 5000K,5700K				
CRI	70+ or 80+				
Beam Angle	120°				
Input Voltage	100-277Vac or 100-347V 50/60Hz				
Function	Photocell, Motion Sensor, Emergency optional				
Power Factor	>0.9				
IP Rating	IP65 /Wet Location				
Working Temp.	-30° C ~ 50° C (-22° F~122° F)				
Storage Temp.	-40° C ~ 70° C (-40° F~158° F)				
Finish	Brown				
Housing	Die-casting Aluminum				
Diffuser	Plastic				
Installation	Surface mounted				
Lifespan(L70)	>100,000 Hours				
Certification	ETL, cETL, DLC				

Dimension



Order Information

Sample: WP-60B2-277-50K-P

	-XXX	-XXX	-X
Product Family	Voltage	CCT	Function
WP-42B = 42W WP-60B = 60W WP-80B = 80W WP-100B = 100W WP-120B = 120W	277 = 100-277Vac 347 = 100-347Vac HV = 480Vac	30K = 3000K 40K = 5000K 50K = 5000K 57K = 5700K	N = Non-dimming P = Photocell M = Motion Sensor
In Standard	Options (add as Suffix)		
Brown Finish 120lm/w CRI>70	EM = Emergency Other customized		

Emergency Version



Emergency Power: 14W
Emergency Time: 1.5 Hours

Package Information

ITEM	QTY/CTN	G. W.	CTN SIZE	Means(CBM)
WP-42B	1pcs	3.0kg(6.6lb)	39x27x24.5cm (99"x68.6"x62.3")	0.026
WP-60B	1pcs	3.0kg(6.6lb)	39x27x24.5cm (99"x68.6"x62.3")	0.026
WP-80B	1pcs	3.0kg(6.6lb)	39x27x24.5cm (99"x68.6"x62.3")	0.026
WP-100B	1pcs	3.2kg(7.0lb)	39x27x24.5cm (99"x68.6"x62.3")	0.026
WP-120B	1pcs	3.2kg(7.0lb)	39x27x24.5cm (99"x68.6"x62.3")	0.026

Container Loading QTY

ITEM	20GP	40GP	40HQ
WP-xxB	1085pcs	2248pcs	2519pcs