

WP-C2

Full Cut OFF LED Wall Pack



CGT

info@cgtled.com

- Die-Casting Aluminum Body
- High Lumens 120lm/w
- Photocell Optional
- Emergency Optional
- IP65 Wet Location
- ETL cETL Listed.
- 5 Years Warranty



Power 42W 60W 80W 100W



Photocell Optional
(support Removable)



High efficiency Fresnel lens
Reach 130lm/w



Arm Knuckle Bracket
Optional



IP65 Wet Location





Multi Voltage 100-347Vac

Parameter

Model No.	WP-42C2	WP-60C2	WP-80C2	WP-100C2
Wattage	42W	60W	80W	100W
Luminous Efficacy	130lm/w	130lm/w	130lm/w	130lm/w
Lumens output	5040lm	7800lm	10400lm	13000lm
HID/MF Equivalent	200W	300W	400W	500W
Fixture Weight	3kg(6.6lb)	3.1kg(6.8lb)	3.2kg(7.1lb)	3.3kg(7.3lb)
LEDs Brand	(Philips) Lumileds SMD3030			
CCT	3000K, 4000K, 5000K,5700K			
CRI	70+ or 80+			
Beam Angle	TYPE 3, TYPE 4, TYPE 5			
Input Voltage	100-277Vac or 100-347Vac 50/60Hz			
Function	Photocell, Motion Sensor, Emergency optional			
Power Factor	>0.90			
IP Rating	IP65 /Wet Location			
Working Temp.	-30° C ~ 50° C (-22° F~122° F)			
Storage Temp.	-40° C ~ 70° C (-40° F~158° F)			
Finish	Brown			
Housing	Die-casting Aluminum			
Diffuser	PC Lens			
Installation	Wall Mounting			
Lifespan(L70)	>100,000 Hours			
Certification	ETL, cETL, DLC			

Dimension



Order Information

Sample: WP-60C2-277-50K-P

	-XXX	-XXX	-X
Product Family	Voltage	CCT	Function
WP-42C2 = 42W WP-60C2 = 60W WP-80C2 = 80W WP-100C2 = 100W	277 = 100-277Vac 347 = 100-347Vac	30K = 3000K 40K = 5000K 50K = 5000K 57K = 5700K	N = Non-dimming P = Photocell M = Motion Sensor
In Standard		Options (add as Suffix)	
Brown Finish 130lm/w CRI>70		EM = Emergency ARM = Arm Knuckle Bracket Other customized	

Arm Knuckle Bracket Version



Emergency Version



Package Information

ITEM	QTY/CTN	G. W.	CTN SIZE	CBM
WP-42C2	1pcs	3.0kg(6.6lb)	39x19x19cm (15.4"x7.5"x7.5")	0.014
WP-60C2	1pcs	3.1kg(6.8lb)	39x19x19cm (15.4"x7.5"x7.5")	0.014
WP-80C2	1pcs	3.2kg(7.1lb)	39x19x19cm (15.4"x7.5"x7.5")	0.014
WP-100C2	1pcs	3.3kg(7.3lb)	39x19x19cm (15.4"x7.5"x7.5")	0.014

Container Loading QTY

ITEM	20GP	40GP	40HQ
WP-xxC2	2000pcs	4143pcs	4585pcs